

**SUPPLEMENTARY TABLE. Age-standardized fall death rates and annual percentage change by state, adults aged ≥65 years — United States, 2007–2016**

State	No. of deaths (age-adjusted rate*)		Average APC (95% CI)	Trend Segment 1		Trend Segment 2		Trend Segment 3	
	2007	2016		2007–2016	Years	APC (95% CI)	Years <sup>†</sup>	APC (95% CI)	Years
Alabama	120 (20.0)	177 (24.4)	1.5 (-0.7 to 3.8)	2007–2016	1.5 (-0.7 to 3.8)	—	—	—	—
Arizona	637 (83.5)	983 (89.7)	0.8 (-0.1 to 1.7)	2007–2012	-1.5 (-2.9 to 0.0)	2012–2016	3.6 (1.7 to 5.6)	—	—
Arkansas	148 (37.8)	200 (43.8)	2.4 (0.2 to 4.6)	2007–2016	2.4 (0.2 to 4.6)	—	—	—	—
California	1455 (35.5)	2,120 (39.9)	0.9 (0.1 to 1.8)	2007–2016	0.9 (0.1 to 1.8)	—	—	—	—
Colorado	365 (74.0)	751 (111.5)	4.3 (2.3 to 6.3)	2007–2013	6.6 (4.1 to 9.2)	2013–2016	-0.3 (-5.9 to 5.6)	—	—
Connecticut	243 (44.9)	357 (56.9)	2.5 (0.8 to 4.3)	2007–2016	2.5 (0.8 to 4.3)	—	—	—	—
Delaware	37 (32.3)	55 (34.9)	1.9 (-2.9 to 7.0)	2007–2016	1.9 (-2.9 to 7)	—	—	—	—
District of Columbia	31 (43.8)	55 (70.2)	4.7 (0.5 to 9.1)	2007–2016	4.7 (0.5 to 9.1)	—	—	—	—
Florida	1,442 (46.2)	2,754 (65.8)	4.2 (3.3 to 5.2)	2007–2011	6.8 (4.6 to 9)	2011–2016	2.2 (1.0 to 3.5)	—	—
Georgia	473 (54.5)	652 (55.5)	-0.5 (-2.0 to 0.9)	2007–2016	-0.5 (-2 to 0.9)	—	—	—	—
Hawaii	104 (54.5)	125 (46.4)	0.3 (-3.0 to 3.6)	2007–2016	0.3 (-3 to 3.6)	—	—	—	—
Idaho	107 (60.2)	209 (91.1)	4.2 (0.7 to 7.9)	2007–2016	4.2 (0.7 to 7.9)	—	—	—	—
Illinois	530 (32.6)	894 (47.9)	3.7 (2.4 to 4.9)	2007–2016	3.7 (2.4 to 4.9)	—	—	—	—
Indiana	255 (31.1)	396 (41.2)	2.9 (1.5 to 4.3)	2007–2016	2.9 (1.5 to 4.3)	—	—	—	—
Iowa	324 (63.3)	506 (91.9)	4.7 (3.1 to 6.3)	2007–2016	4.7 (3.1 to 6.3)	—	—	—	—
Kansas	222 (54.2)	375 (81.8)	4.5 (2.8 to 6.3)	2007–2016	4.5 (2.8 to 6.3)	—	—	—	—
Kentucky	219 (41.1)	286 (45.3)	2.4 (0.3 to 4.6)	2007–2016	2.4 (0.3 to 4.6)	—	—	—	—
Louisiana	115 (22.6)	246 (39.3)	5.1 (1.4 to 9.0)	2007–2016	5.1 (1.4 to 9.0)	—	—	—	—
Maine	67 (32.6)	206 (82.9)	11.0 (8.4 to 13.7)	2007–2016	11.0 (8.4 to 13.7)	—	—	—	—
Maryland	320 (47.4)	589 (69.0)	3.8 (2.5 to 5.1)	2007–2016	3.8 (2.5 to 5.1)	—	—	—	—
Massachusetts	369 (38.6)	614 (55.4)	4.1 (2.9 to 5.4)	2007–2016	4.1 (2.9 to 5.4)	—	—	—	—
Michigan	606 (44.8)	843 (53.0)	2.6 (1.2 to 4.1)	2007–2016	2.6 (1.2 to 4.1)	—	—	—	—
Minnesota	605 (83.7)	1,042 (119.4)	4.6 (3.8 to 5.5)	2007–2016	4.6 (3.8 to 5.5)	—	—	—	—
Mississippi	163 (46.7)	256 (62.0)	1.1 (-2.0 to 4.2)	2007–2016	1.1 (-2 to 4.2)	—	—	—	—
Missouri	575 (69.7)	671 (69.3)	0.1 (-1.4 to 1.6)	2007–2012	-3.4 (-5.7 to -1.1)	2012–2016	4.7 (1.4 to 8.1)	—	—
Montana	82 (58.1)	145 (81.3)	3.5 (1.6 to 5.4)	2007–2016	3.5 (1.6 to 5.4)	—	—	—	—
Nebraska	145 (54.6)	198 (65.2)	0.7 (-1.6 to 2.9)	2007–2016	0.7 (-1.6 to 2.9)	—	—	—	—
Nevada	107 (42.4)	212 (58.1)	3.5 (0.8 to 6.4)	2007–2014	0.0 (-2.3 to 2.4)	2014–2016	16.8 (1.8 to 33.9)	—	—
New Hampshire	125 (71.1)	210 (95.2)	3.3 (0.2 to 6.6)	2007–2009	-2.1 (-20.6 to 20.7)	2009–2013	9.7 (-0.2 to 20.6)	2013–2016	-1.1 (-8.9 to 7.4)
New Jersey	277 (22.8)	413 (29.7)	3.3 (1.5 to 5.1)	2007–2016	3.3 (1.5 to 5.1)	—	—	—	—
New Mexico	296 (124.3)	319 (101.0)	-1.8 (-4.9 to 1.5)	2007–2016	-1.8 (-4.9 to 1.5)	—	—	—	—
New York	903 (33.7)	1,257 (40.1)	2.3 (1.1 to 3.5)	2007–2016	2.3 (1.1 to 3.5)	—	—	—	—
North Carolina	482 (44.4)	1,056 (73.8)	4.2 (2.6 to 5.8)	2007–2016	4.2 (2.6 to 5.8)	—	—	—	—
North Dakota	57 (50.9)	84 (67.5)	0.9 (-3.3 to 5.3)	2007–2016	0.9 (-3.3 to 5.3)	—	—	—	—
Ohio	833 (51.0)	1,288 (68.5)	3.2 (1.5 to 4.9)	2007–2016	3.2 (1.5 to 4.9)	—	—	—	—
Oklahoma	189 (40.2)	534 (95.4)	10.9 (6.8 to 15.2)	2007–2010	21.9 (6.7 to 39.3)	2010–2016	5.8 (2.5 to 9.2)	—	—
Oregon	339 (63.5)	658 (100.8)	5.2 (2.8 to 7.5)	2007–2011	8.9 (3.3 to 14.9)	2011–2016	2.2 (-0.9 to 5.4)	—	—
Pennsylvania	954 (45.5)	1,389 (59.0)	2.9 (1.7 to 4.1)	2007–2016	2.9 (1.7 to 4.1)	—	—	—	—
Rhode Island	125 (70.7)	185 (95.5)	3.4 (1.1 to 5.8)	2007–2016	3.4 (1.1 to 5.8)	—	—	—	—
South Carolina	176 (32.9)	405 (57.5)	6.6 (5.0 to 8.3)	2007–2016	6.6 (5.0 to 8.3)	—	—	—	—
South Dakota	106 (80.6)	157 (105.1)	4.2 (2.0 to 6.5)	2007–2016	4.2 (2.0 to 6.5)	—	—	—	—
Tennessee	332 (43.7)	575 (60.8)	3.5 (1.5 to 5.6)	2007–2009	15.0 (3.2 to 28.2)	2009–2016	0.5 (-0.8 to 1.7)	—	—
Texas	1,119 (48.9)	1,540 (49.7)	0.1 (-0.4 to 0.7)	2007–2016	0.1 (-0.4 to 0.7)	—	—	—	—
Utah	103 (46.1)	161 (54.7)	2.0 (-0.1 to 4.1)	2007–2012	9.5 (5.8 to 13.4)	2012–2016	-6.8 (-10.7 to -2.6)	—	—
Vermont	117 (129.8)	132 (122.7)	0.5 (-1.7 to 2.7)	2007–2016	0.5 (-1.7 to 2.7)	—	—	—	—
Virginia	350 (39.5)	738 (64.8)	5.8 (4.3 to 7.3)	2007–2016	5.8 (4.3 to 7.3)	—	—	—	—
Washington	612 (77.0)	893 (88.0)	1.4 (0.6 to 2.2)	2007–2016	1.4 (0.6 to 2.2)	—	—	—	—
West Virginia	139 (49.3)	273 (86.3)	7.8 (6.2 to 9.5)	2007–2016	7.8 (6.2 to 9.5)	—	—	—	—
Wisconsin	790 (95.3)	1,365 (142.7)	4.7 (3.1 to 6.2)	2007–2010	1.7 (-3.4 to 7.0)	2010–2014	4.7 (0.0 to 9.7)	2014–2016	9.1 (0.5 to 18.4)
Wyoming	28 (44.2)	68 (81.7)	4.4 (0.6 to 8.3)	2007–2016	4.4 (0.6 to 8.3)	—	—	—	—

Abbreviations: APC = Annual percentage change; CI = Confidence interval.

\*Rates per 100,000, standardized to U.S. 2000 population with age groups 65–74, 75–84, and ≥85 years.

<sup>†</sup>— indicates that the Joinpoint model did not include that trend segment.

Source: CDC, National Vital Statistics System, Mortality. CDC WONDER. Atlanta, GA: US Department of Health and Human Services, CDC; 2016. <https://wonder.cdc.gov/>.